


ISSUED BY


[www.rototest.com/rri](http://www.rototest.com/rri)

**Rototest**  
 Salemsv 20  
 SE-144 40 Ronninge  
 Sweden  
 Tel +46 8 532 55 890  
 Fax +46 8 532 52 740  
 info@rototest.se

## Certificate of Performance



Vehicle	Description	Mode	Correction	Legend
Audi A3 2.0TDI q -06 (125 kW)		Steady State	None	■ ●
Stated engine performance	source: auto motor & sport		None	■ ●

Printed 2007-01-09 10:58

923032

ROTOTEST VPA / VPA-R chassis dynamometer system | [www.rototest.com](http://www.rototest.com)Downloaded from [www.rototest.com/rri](http://www.rototest.com/rri) on 2008-05-30 11:33 by 212.87.41.206

(c) Copyright Rototest Research Institute. All rights reserved. For limited non-profit use, see terms at [www.rototest.com/rri](http://www.rototest.com/rri).  
 Performance graphs are available as high resolution images. Please contact RRI for more information.

ISSUED BY




## Certificate of Performance

**Test ID** STR-07010501  
**Created** 2007-01-05 20:34  
**Vehicle ID**  
**Vehicle make** Audi  
**Vehicle model** A3 2.0TDI q -06 (125 kW)  
**Engine** CI DI TC, 1968 cc, I4, 16v  
**Mileage** 8046 km  
**Test mode** Steady State  
**Test fuel** 54 CN  
**Customer**  
**Description**

**Measured at [1/min]**  
**Max power [PS]** 159.6 4009  
**Max torque [Nm]** 346.7 2303  
**Correction** None  
**Atm pressure [hPa]** 989 - 989

**Comments**



Engine speed [1/min]	Corr power [PS]	Corr torque [Nm]	Wheel speed [1/min]	Total red [1/x]	Total wheel torque / total red [Nm]	Wheel power [PS]	Inl temp* [°C]	Rel hum [%]	Amb temp [°C]	Oil temp* [°C]	Corr factor	Sample Time [s]
1002	15.4	107.7	358	2.800	302	15.4	18	25	20	98	1.000	5.0
1302	36.2	195.1	465	2.800	546	36.2	19	25	20	99	1.000	4.9
1605	68.3	299.1	573	2.800	838	68.3	20	25	20	103	1.000	4.9
1804	84.5	328.8	644	2.800	921	84.5	21	25	20	104	1.000	5.0
2005	95.1	333.2	716	2.800	933	95.1	21	25	20	106	1.000	4.9
2303	113.7	346.7	822	2.800	971	113.7	22	24	20	105	1.000	4.9
2506	122.0	342.0	895	2.800	958	122.0	22	24	20	106	1.000	5.0
2705	128.1	332.7	966	2.800	932	128.1	23	24	21	106	1.000	5.0
3005	139.4	325.8	1073	2.800	912	139.4	23	24	21	106	1.000	5.0
3507	154.8	310.0	1253	2.800	868	154.8	23	24	21	107	1.000	4.9
4009	159.6	279.6	1432	2.800	783	159.6	22	23	21	108	1.000	4.9
4207	151.5	252.9	1502	2.800	708	151.5	23	23	21	109	1.000	5.0
4407	145.3	231.5	1574	2.800	648	145.3	22	23	21	104	1.000	4.9

\* Inl temp measured in intake before air filter, oil temp measured in oil dipstick, unless noted otherwise.

