Model 230

| Service A Service B Plus package For every service (equipment specific) Every 2 years For the first time at 3,000 km Every 20,000 km/3 years Every 50,000 km/3 years Every 60,000 km/4 years Every 60,000 km/4 years Every 80,000 km/4 years | |
|--|----------------|
| | P00.00-4902-11 |

| Customer | Order number |
|---|-----------------|
| VIN/license plate number | Current mileage |
| Completion time/date | |
| Notes/explanations | |
| The following activities are hereby confirmed: - Completion of relevant service operations | |

| Signature | Signature | | | | |
|-----------|-----------|--|--|--|--|
|-----------|-----------|--|--|--|--|

| Α | В | | Input condition not OK: | \otimes | |
|--------------|------|--|---|-----------|------------------|
| Compl | eted | | | | |
| \mathbf{X} | X | | | | |
| + | ➡ | | | • | |
| | | Service reception | | | |
| | | The completely processed pre-order is available for service on the vehicle | i To be performed by the Service Advisor (where market- specific conditions require). The service scope is only completely performed when all acceptance items and the maintenance items listed in the service sheet have been fully processed. | 0 | |
| | | Brake system Perform brake test and enter the result in the table | | 0 | AP42.00-P-4290BA |
| | | Vehicle exterior Check condition of vehicle exterior | | 0 | AP60.00-P-0050R |

| | Check condition of windshield | | 0 | |
|---|---|--|------------|-------------------|
| | Check condition of wiper blades | | \cap | AP67.10-P-6750A |
| | | | \bigcirc | AP82.30-P-8253G |
| | Check exterior lights for proper operation | | 0 | |
| | Check operation of headlamp range | | \frown | AP82.10-P-8252EW |
| | adjustment | Vehicles with Xenon headlamps or | 0 | |
| | | headlamp range controller on exterior lights switch | | |
| | Check/correct headlamp adjustment | - | \frown | AP82.10-P-8250EW |
| | | | 0 | AP82.10-P-8260R |
| | | i For vehicles with level control or Xenon headlamps, the adjustment of the headlamps is to be invoiced as an additional operation. | | |
| | Vehicle interior Check windshield wipers, windshield | | \bigcirc | |
| | washer system and headlamp cleaning system for proper operation | | 0 | |
| | Sensotronic Brake Control (SBC™): Check | | \bigcirc | AP82.30-P-8252V |
| | acoustic warning system | Except CODE P99 ("AMG Black | \cup | AP54.30-P-5450A |
| | Sensotronic Brake Control (SBC [™]): Check | Series" special model) | \bigcirc | |
| | hydraulic unit | Except CODE P99 ("AMG Black | \bigcirc | AP42.50-P-4259A |
| | Replace activated charcoal dust filter | Series" special model) | | |
| | | | | AP83.00-P-8384R |
| | Check warning and function indicator lamps in instrument cluster | · · · · · · · · · · · · · · · · · · · | 0 | |
| | Read out map data version from navigation | | | AP54.30-P-5451SLC |
| | system, check update | | | AP82.85-P-8251C |
| | | i Enter map data status: | | |
| | Read out maintenance data from instrumen cluster, note and reset service indicator | t | | |
| | Engine compartment | | | AP00.20-P-0043R |
| | Check water drain in air-water duct | | Ο | |
| | Brake system: Check fluid level | | \sim | AP83.10-P-8353A |
| | | | 0 | AP42.10-P-4210Z |
| | Power steering: Check fluid level | | 0 | |
| _ | Active Body Control (ABC): Check fluid leve | sl | \sim | AP46.00-P-4612SLC |
| | | With code 487 (Active Body Control | 0 | AP32.50-P-32131 |
| | Battery: Check and correct fluid level | (ABC)) | \frown | AI 52.50-1 -52151 |
| | | | 0 | AP54.10-P-5410A |
| | Check low temperature circuit coelept lovel | i Except low-maintenance battery | \sim | |
| | Check low-temperature circuit coolant level | Engine 275 | \bigcirc | |
| | Check all visible parts in engine compartment for damage and leaks | | 0 | AP20.30-P-2050SX |
| | | | | AP00.20-P-0055EW |
| | Engine: Change oil and filter | Factor 440 | | |
| | | Engine 112 | | AP18.00-P-0101AE |

| | | Engine 113.963 Engine 113.992/995 Engine 156 Engine 272 Engine 273 Engine 275.951/954 Engine 275.981/983 | 0 | AP18.00-P-0101GH AP18.00-P-0101R AP18.00-P-0101RMG AP18.00-P-0101PIT AP18.00-P-0101SX AP18.00-P-0101SLA AP18.00-P-0101SZ |
|--|---|--|------------|--|
| | | Engine 112, 113 Engine 156, 272, 273 Engine 275 | 0 | AP13.22-P-1352Z AP13.22-P-1352RX AP13.22-P-1352L |
| | Underside of vehicle Check all visible parts of vehicle underside for damage and leaks | | 0 | AP00.20-P-0054EW |
| | | i The country-specific regulations for mobility and body shell complaints apply. | | |
| | Check track rod and drag link linkage for play, check boots | | 0 | AP46.00-P-4653F |
| | Check front axle ball joint for play, check boots | | 0 | |
| | Check condition of propeller shaft and flex disks | | 0 | AP33.20-P-3353BA |
| | Assess condition and tread depth of tires then enter into table | | 0 | AP41.10-P-4152Z |
| | Assess condition of brake pads and enter into table | | 0 | AP40.10-P-4052B |
| | Assess condition of brake disks and enter into table | | 0 | AP42.10-P-4252SLC |
| | Check tires for damage and crack formatio | n | \bigcirc | AP42.10-P-4256EW |
| | and enter result in table | | <u> </u> | AP40.10-P-4051Z |
| | Plus package Correct tire pressure and enter set tire pressure in table | | 0 | AP40.15-P-4061A |
| | Trunk Plus package | · | | AF40.15-F-400TA |
| | Check/correct spare wheel tire pressure an enter set tire pressure in table | d Vehicles with spare tire | 0 | |
| | | | | AP40.15-P-4061A |
| | Check TIREFIT tire sealant | Vehicles fitted with TIREFIT | 0 | |
| | | i Enter TIREFIT expiration date here: | | AP40.10-P-4054R |
| | | i Replace TIREFIT, invoice as additional operation. | | |
| | Check trunk illumination for proper operation | | 0 | |
| | Engine compartment Plus package | | | |
| | Windshield washer system: Check/correct fluid level | | | AP82.35-P-8210N |
| | | | | |

| | | | Add cleaner subject to separate invoice. | |
|------------------------|---|--|--|---------------------------------------|
| | | Vehicle interior | | |
| | | Plus package Check lamps in the instrument cluster and | | \bigcirc |
| | | interior illumination for proper operation | | |
| | | | | AP54.30-P-5453SLC |
| | | Check first aid bag | | 0 |
| | | | | AP68.00-P-6850EW |
| | | | i Enter first aid bag expiration date here: | |
| | | | i Replace first aid bag, invoice as an additional operation. | |
| | | Retractable hardtop: Clean sealing and | | |
| | | apply lubricant | Except CODE P99 ("AMG Black Series" special model) | AP77.30-P-7735R |
| | | Vehicle interior For every service (equipment specific) | , | |
| | | Replace battery for KEYLESS-GO key | | |
| | | | After consultation with customer | |
| | | | With code 889 (KEYLESS-GO) | |
| | | Engine compartment Every 2 years | | |
| | | Brake system: Replace brake fluid | | |
| | | | With CODE P99 ("AMG Black | AP42.00-P-4280RBS |
| | | | Series" special model) Except CODE P99 ("AMG Black | AP42.00-P-4280R |
| | | Underside of vehicle | Series" special model) | |
| | | For the first time at 3,000 km | | |
| | | Rear axle: Perform oil change | | |
| | | | With code 471 (Mechanical locking differential), except code P99("AMG | AP35.00-P-3501CMG |
| | | | Black Series" special model") | |
| | | | With code 471 (Mechanical locking differential), with code P99 ("AMG Black Series" special model") | AP35.00-P-3501RBS |
| | | Engine compartment Every 20,000 km/3 years | | |
| | | Replace air filter element | | |
| | | | Engine 112, 113, 156, 272, 273, 275 | |
| | | | Engine 156 | AP09.10-P-0980RMG |
| | | | Engine 272, 273 Engine 275.951/954/981 | AP09.10-P-0980RX AP09.10-P-0980H |
| | | | Engine 275.983 | AP09.10-P-0980RBS |
| | | Underside of vehicle Every 20,000 km/3 years | | |
| | | Rear axle: Perform oil change | | |
| | | | With code 471 (Mechanical locking differential), except code P99("AMG | AP35.00-P-3501CMG |
| | | | Black Series" special model") With code 471 (Mechanical locking | AP35.00-P-3501RBS |
| | | | differential), with code P99 ("AMG | A 33.00-1 -330 Mas |
| | | Engine compartment | Black Series" special model") | |
| _ | _ | Every 50,000 km/3 years Replace main circuit coolant | | |
| | | | Engine 275 | |
| | | Engine compartment | Engine 275 | AP20.00-P-2080H |
| | _ | Every 60,000 km/3 years Replace spark plugs | | |
| | | | Engine 110 110 | |
| | | | Engine 112, 113 Engine 156 | AP15.10-P-1580AB AP15.10-P-1580RMG |
| | | 124 L 104/47 mm0 20 m 42286 01/101/1014/60 | Engine 272, 273 | AP15.10-P-1580RX |
| © Daimiei Model 230 | | /21, L/01/17, ap00.20-p-1228tw, OVERVIEW for service sheet | | Page 4 of 6 |

| Image: Second | | | | Engine 275 | AP15.10-P-1580L |
|--|---|---|---|--|-------------------|
| Image: Section of the seccond of the section of the secting section of the secti | | | | | |
| Image: Second | _ | _ | | | |
| 230.### ## as from 096743 Transmission 722.93/med44 in model 230.### ## as from 096743 Transmission 722.9 in model 230.### ## as for 096743 Transmission 722.9 in model 20.### ## as for 096743 AP27.00-P-2702W 230.### # as for 096743 AP27.00-P-2702W 230.### # as for 096743 AP27.00-P-2702W 230.### # as for 096743 AP27.00-P-2702W 230.## ## as for 096743 AP27.00-P-2080TX AP27.00-P-2080TX AP27.00-P-2080TX AP20.00- | | | filter change | | |
| Image: Second | | | | | AP27.00-P-2702H |
| model 230.##### as from 096743 Transmission 722.9 in model AP27.00-P-2702W 20.##### as of 096743 AP27.00-P-2702W 20.##### ## as of 096743 AP27.00-P-2702W 20.##### ## as of 096743 Engine compartment Every 60.000 km4 years Engine 113.992/995 Compressor: Replace poly-V belt Engine 113.992/995 Poly-V belt: Replace tensioning device Engine 275 Underside of vehicle Every 80.000 km4 years Replace fuel filter Engine 112, 113, engine 275 except code P99 ("AMG Black Series" special model) Engine 156, 272, 273 AP47.20-P-0780RX Engine 275 with code P99 ("AMG Black Series" special model) AP47.20-P-0780RS Engine 275 with code P99 ("AMG Black Series" special model) Engine 275 with code P99 ("AMG Black Series" special model) Engine 275 with code P99 ("AMG Black Series" special model) Engine 275 with code P99 ("AMG Black Series" special model) Engine 275 with code P99 ("AMG Black Series" special model) AP47.20-P-0780RBS Black Series" special model) Engine 112, 113 AP20.00-P-2080DA Engine 156, 272, 273 AP20.00-P-2080DA Engine 156, 272, 273 AP20.00-P-2080DA Engine 156, 272, 273 Every 200,000 km/19 years Replace low-temperature circuit coolant | | | | | AP27 00-P-2702R |
| Image: Section of the section of th | | | | model 230.### ## as from 096743 | |
| Engline compartment Every 80,000 km/4 years Compressor: Replace poly-V belt Engine 113.992/995 AP13.22-P-1381R Poly-V belt: Replace tensioning device Engine 275 AP13.25-P-1382H Underside of vehicle Every 80,000 km/4 years Replace fuel filter Engine 112, 113, engine 275 except AP47.20-P-0780DC code P99 ("AMG Black Series" special model) Engine 156, 272, 273 AP47.20-P-0780RS Black Series" special model) Engine 275 with code P99 ("AMG AP47.20-P-0780RS Black Series" special model) Engine 275 with code P99 ("AMG AP47.20-P-0780RS Black Series" special model) Engine 275 with code P99 ("AMG AP47.20-P-0780RSS Black Series" special model) AP47.20-P-0780RSS < | | | | | AP27.00-P-2702W |
| Every 60,000 km/4 years Compressor: Replace poly-V belt Engine 113.992/995 AP13.22-P-1381R Poly-V belt: Replace tensioning device Engine 275 AP13.25-P-1382H Underside of vehicle Every 80,000 km/4 years Replace fuel filter Trunk Engine 112, 113, engine 275 except Code P99 (*AMG Black Series" special model) Engine 275 with code P99 (*AMG AP47.20-P-0780RBS Black Series" special model) Engine 275 with code P99 (*AMG AP47.20-P-0780RBS Black Series" special model) Engine 112, 113 Engine 275 with code P99 (*AMG AP47.20-P-0780RBS Black Series" special model) AP47.20-P-0780RBS Black Series" special model) < | | | Engine compartment | 230.### ## as of 096743 | |
| Image: Series | | | Every 60,000 km/4 years | | |
| Image: Poly-V belt: Replace tensioning device Engine 113.992/995 AP13.22-P-1381R Image: Poly-V belt: Replace tensioning device Engine 275 AP13.25-P-1382H Image: Poly-V belt: Replace fuel filter Engine 275 AP13.25-P-1382H Image: Poly-V belt: Replace fuel filter Engine 112, 113, engine 275 except code P99 ("AMG Black Series" special model) AP47.20-P-0780DC code P99 ("AMG Black Series" special model) Image: Poly-V belt: Replace fuel filter Engine 156, 272, 273 AP47.20-P-0780RS Image: Poly-V belt: Replace fuel filter Engine 275 with code P99 ("AMG Black Series" special model) AP47.20-P-0780RS Image: Poly-V belt: Replace fuel filter Engine 275 with code P99 ("AMG Black Series" special model) AP47.20-P-0780RBS Image: Poly-V belt: Replace fuel filter Engine 275 with code P99 ("AMG Black Series" special model) AP47.20-P-0780RBS Image: Poly-V belt: Replace fuel filter Engine 275 with code P99 ("AMG AP47.20-P-0780RBS AP47.20-P-0780RBS Image: Poly-V belt: Replace fuel filter Engine 112, 113 AP47.20-P-0780RBS Image: Poly-V belt: Replace fuel filter Engine 112, 113 AP20.00-P-2080RA Image: Poly-V belt: Replace fuel filter Engine 112, 113 AP20.00-P-2080RA Image: Poly-V belt: Replace fuel filter Engine 112, 113 AP | | | Compressor: Replace poly-V belt | | |
| Image: Poly-V belt: Replace tensioning device Engine 275 AP13.25-P-1382H Image: Poly-V belt: Replace fuel filter Engine 275 AP13.25-P-1382H Image: Poly-V belt: Replace fuel filter Engine 112, 113, engine 275 except code P99 ("AMG Black Series" special model) AP47.20-P-0780DC Image: Poly-V belt: Replace fuel filter Engine 156, 272, 273 AP47.20-P-0780DC Image: Poly-V belt: Replace fuel filter Engine 156, 272, 273 AP47.20-P-0780RX Image: Poly-V belt: Replace fuel filter Engine 275 with code P99 ("AMG Black Series" special model) AP47.20-P-0780RBS Image: Poly-V belt: Replace fuel filter Engine 275 with code P99 ("AMG Black Series" special model) AP47.20-P-0780RBS Image: Poly-V belt: Replace fuel filter Engine 127, 113 AP47.20-P-0780RBS Image: Poly-V belt: Replace fuel filter Engine 127, 113 AP47.20-P-0780RBS Image: Poly-V belt: Replace fuel filter Engine 12, 113 AP47.20-P-0780RBS Image: Poly-V belt: Replace fuel filter Engine 12, 113 AP47.20-P-0780RBS Image: Poly-V belt: Replace fuel filter Engine 12, 113 AP20.00-P-2080DA Image: Poly-V belt: Replace fuel filter Engine 156, 272, 273 AP20.00-P-2080DA Image: Poly-V belt: Replace low-temperature circuit coolant | | | | | |
| Image: Second | | | | Engine 113.992/995 | AP13.22-P-1381R |
| Image: Second | | | Poly-V belt: Replace tensioning device | | |
| Underside of vehicle Every 80,000 km/4 years Replace fuel filter Engine 112, 113, engine 275 except Code P99 ("AMG Black Series" special model) Engine 156, 272, 273 AP47.20-P-0780DC code P99 ("AMG Black Series" special model) Engine 275 with code P99 ("AMG Replace fuel filter Engine 275 with code P99 ("AMG AP47.20-P-0780RS Black Series" special model) Engine 275 with code P99 ("AMG AP47.20-P-0780RBS Black Series" special model) AP47.20-P-0780RBS Replace main circuit coolant Engine 112, 113 AP20.00-P-2080RX AP20.00-P-2080RX Every 200,000 | | | | | |
| Image: Severy 80,000 km/4 years Replace fuel filter Engine 112, 113, engine 275 except code P99 ("AMG Black Series" special model) Engine 156, 272, 273 AP47.20-P-0780DC code P99 ("AMG Black Series" special model) Engine 156, 272, 273 Image: Image: Severy 80,000 km/4 years Replace fuel filter Engine 275 with code P99 ("AMG Black Series" special model) Engine 275 with code P99 ("AMG Black Series" special model) AP47.20-P-0780RX Image: Image: Severy 80,000 km/4 years Replace fuel filter Engine 275 with code P99 ("AMG AP47.20-P-0780RBS Black Series" special model) Image: Image: Severy 80,000 km/4 years Replace fuel filter Engine 275 with code P99 ("AMG AP47.20-P-0780RBS Black Series" special model) Image: Image: Severy 80,000 km/4 years Replace fuel filter Engine 275 with code P99 ("AMG AP47.20-P-0780RBS Black Series" special model) Image: Image: Severy 80,000 km/10 years Replace fuel filter Engine 112, 113 AP20.00-P-2080DA Engine 156, 272, 273 AP20.00-P-2080DA Engine 156, 272, 273 AP20.00-P-2080RX Image: Ima | | | | Engine 275 | AP13.25-P-1382H |
| Replace fuel filter Engine 112, 113, engine 275 except code P99 ("AMG Black Series" special model) Engine 156, 272, 273 AP47.20-P-0780DC AP47.20-P-0780RX Engine 156, 272, 273 AP47.20-P-0780RX Replace fuel filter Engine 156, 272, 273 Image: Replace fuel filter Engine 275 with code P99 ("AMG Black Series" special model) Image: Replace fuel filter Engine 275 with code P99 ("AMG Black Series" special model) Image: Replace fuel filter Engine 275 with code P99 ("AMG Black Series" special model) Image: Replace fuel filter Engine 275 with code P99 ("AMG Black Series" special model) Image: Replace fuel filter Engine 275 with code P99 ("AMG Black Series" special model) Image: Replace main circuit coolant Engine 112, 113 AP20.00-P-2080DA Engine 156, 272, 273 AP20.00-P-2080DA AP20.00-P-2080DA Engine 156, 272, 273 AP20.00-P-2080DA Image: Replace low-temperature circuit coolant Engine 156, 272, 273 AP20.00-P-2080DA | | | | | |
| Image: Constraint of the second se | | | | | |
| Image: Code P99 ("AMG Black Series" special model) Engine 156, 272, 273 AP47.20-P-0780RX Image: Code P99 ("AMG Black Series" special model) Engine 156, 272, 273 AP47.20-P-0780RX Image: Code P99 ("AMG Black Series" special model) AP47.20-P-0780RBS Black Series" special model) Image: Code P99 ("AMG Black Series" special model) AP47.20-P-0780RBS Black Series" special model) Image: Code P99 ("AMG Black Series" special model) AP47.20-P-0780RBS Black Series" special model) Image: Code P99 ("AMG Black Series" special model) AP47.20-P-0780RBS Black Series" special model) Image: Code P99 ("AMG Black Series" special model) AP47.20-P-0780RBS Black Series" special model) Image: Code P99 ("AMG Black Series" special model) AP47.20-P-0780RBS Black Series" special model) Image: Code P99 ("AMG Black Series" special model) AP47.20-P-0780RBS Black Series" special model) Image: Code P99 ("AMG Black Series" special model) AP47.20-P-0780RBS Black Series" special model) Image: Code P99 ("AMG Black Series" special model) AP47.20-P-0780RBS Black Series" special model) Image: Code P99 ("AMG Black Series" special model AP47.20-P-0780RBS Black Series" special model) Image: Code P99 ("AMG Black Series" special model AP47.20-P-0780RBS Black Series" special model) Image: Code P99 ("AMG Black Series" special model AP47.20-P-0780RBS Black Series" special model) <td></td> <td></td> <td></td> <td></td> <td></td> | | | | | |
| special model) Engine 156, 272, 273 AP47.20-P-0780RX Image: special model Trunk Every 80,000 km/4 years Replace fuel filter Engine 275 with code P99 ("AMG AP47.20-P-0780RBS Black Series" special model) Image: special model Underside of vehicle Every 200,000 km/10 years Replace main circuit coolant Engine 112, 113 AP20.00-P-2080DA Engine 156, 272, 273 Image: special model Underside of vehicle Every 200,000 km/10 years Replace main circuit coolant Image: special model Image: special model Image: special model Image: special | | | | | AP47.20-P-0780DC |
| Image: Second state of the second s | | | | | |
| Every 80,000 km/4 years Replace fuel filter Engine 275 with code P99 ("AMG AP47.20-P-0780RBS Black Series" special model) Image: Description of the special model Image: Descript | | | | Engine 156, 272, 273 | AP47.20-P-0780RX |
| Replace fuel filter Engine 275 with code P99 ("AMG Black Series" special model) Image: Constraint of the system of the | | | | | |
| Image: Constraint of the second se | _ | _ | | | |
| Black Series" special model) Image: Black Series special model Image: Black Series special mode | | | | | |
| Every 200,000 km/10 years Replace main circuit coolant Engine 112, 113 AP20.00-P-2080DA Engine 156, 272, 273 AP20.00-P-2080RX Underside of vehicle Every 200,000 km/10 years Replace low-temperature circuit coolant | | | | Engine 275 with code P99 ("AMG Black Series" special model) | AP47.20-P-0780RBS |
| Image: Constraint of the system of the sy | | | | | |
| Image: Constraint of the system of the sy | | | Replace main circuit coolant | | |
| Engine 156, 272, 273 AP20.00-P-2080RX Underside of vehicle Every 200,000 km/10 years Every 200,000 km/10 years Replace low-temperature circuit coolant | | | | | |
| Underside of vehicle Every 200,000 km/10 years Replace low-temperature circuit coolant | | | | • | |
| Replace low-temperature circuit coolant | | | | | |
| | | | | | |
| | | | Replace low-temperature circuit coolant | | |
| | | | | Engine 275 | AP20.00-P-2080H |

Brake values

| | Left | Right |
|---------------|------|-------|
| Front | | |
| Rear | | |
| Parking brake | | |

Condition/tread depth of tires (Mark applicable field with X or optionally, enter tread depth)

| | Right front | Left front | Right rear | Left rear |
|--|-------------|------------|------------|-----------|
| Condition and tread depth OK. | | | | |
| Wear limit reached / exceeded | | | | |
| Unusual wear pattern | | | | |
| Max. tire age / mileage reached / exceeded (special protection only) | | | | |

Condition of brake linings (Mark applicable field with X)

| | Right front | Left front | Right rear | Left rear |
|---|--------------------------------------|------------|------------|-------------|
| Condition in visible area OK. | | | | |
| © Daimler AG, 11/2/21, L/01/17, ap00.3 Model 230 | 20-p-1228tw, OVERVIEW for service sh | eet | | Page 5 of 6 |

| Wear limit reached / exceeded | | |
|--|--|--|
| Soiled (oil, grease, etc.)/ damaged | | |

Condition of brake disks (Mark applicable field with X)

| | Right front | Left front | Right rear | Left rear |
|---|-------------|------------|------------|-----------|
| Condition in visible area OK. | | | | |
| Wear / damaged (e.g.: score marks, cracks, corrosion, chippings, deeply contoured ridging with steel brake disks) | | | | |
| Soiled (oil, grease, etc.) | | | | |

Set tire pressure in bar or psi

| | Front axle | Rear axle | Spare wheel |
|---------|------------|-----------|-------------|
| bar/psi | | | |