

<b>Audi A3 2006 &gt;</b>		<b>Typ 8P</b>
<b>VIN</b>	<b>8P.6A(B) 000 001</b>	<b>8P.8A(B) 999 999</b>
	<b>e1 * 2001/116 * 0217 * 09 - 14</b>	

1,6 75 kW; 1,6 FSI 85kW									
					bar				
									
									
	205/55 R16 91H	6,5J x 16 ET 50			2,1	2,0	2,2	2,5	
	205/55 R16 91H	7J x 16 ET 53			2,1	2,0	2,2	2,5	
	225/45 R17 91H	7,5J x 17 ET 56			2,1	2,0	2,2	2,5	
	225/40 R18 92Y	7,5J x 18 ET 54			2,4	2,1	2,6	2,6	
	205/55 R16 91H M+S	6J x 16 ET 50			2,1	2,0	2,2	2,5	
	205/55 R16 91H M+S	6,5J x 16 ET 50			2,1	2,0	2,2	2,5	
	205/50 R17 89H M+S	6J x 17 ET 48			2,2	2,4	2,2	2,6	

1,8 TFSI 118 kW									
					bar				
									
									
	205/55 R16 91V	6,5J x 16 ET 50			2,3	2,5	2,1	2,6	
	205/55 R16 91V	7J x 16 ET 53			2,3	2,5	2,1	2,6	
	225/45 R17 91W	7,5J x 17 ET 56			2,3	2,5	2,1	2,6	
	225/40 R18 92Y	7,5J x 18 ET 54			2,4	2,6	2,1	2,6	
	205/55 R16 91H M+S	6J x 16 ET 50			2,5	2,7	2,3	2,7	

								
	205/55 R16 91H M+S	6,5J x 16 ET 50			2,5	2,7	2,3	2,7
	205/50 R17 89H M+S	6J x 17 ET 48			2,5	2,7	2,3	2,7

1,9 TDI e 77 kW								
					bar			
								
								
	205/55 R16 91H	6,5J x 16 ET 50			2,2	2,0	2,5	2,6
	205/55 R16 91H	7J x 16 ET 53			2,2	2,0	2,5	2,6
	225/45 R17 91H	7,5J x 17 ET 56			2,1	2,0	2,2	2,5
	225/40 R18 92Y	7,5J x 18 ET 54			2,4	2,1	2,6	2,6
	205/55 R16 91H M+S	6J x 16 ET 50			2,2	2,0	2,5	2,6
	205/55 R16 91H M+S	6,5J x 16 ET 50			2,2	2,0	2,5	2,6
	205/50 R17 89H M+S	6J x 17 ET 48			2,4	2,2	2,6	2,7

1,9 TDI 77 kW								
					bar			
								
								
	205/55 R16 91H	6,5J x 16 ET 50			2,2	2,0	2,5	2,6
	205/55 R16 91H	7J x 16 ET 53			2,2	2,0	2,5	2,6
	225/45 R17 91H	7,5J x 17 ET 56			2,1	2,0	2,2	2,5
	225/40 R18 92Y	7,5J x 18 ET 54			2,4	2,1	2,6	2,6
	205/55 R16 91H M+S	6J x 16 ET 50			2,2	2,0	2,5	2,6
	205/55 R16 91H M+S	6,5J x 16 ET 50			2,2	2,0	2,5	2,6

	205/50 R17 89H M+S	6J x 17 ET 48			2,4	2,2	2,6	2,7
---	--------------------	---------------	--	--	-----	-----	-----	-----

2,0 TDI 100/103 kW								
					bar			
								
								
	205/55 R16 91V	6,5J x 16 ET 50			2,4	2,2	2,6	2,6
	205/55 R16 91V	7J x 16 ET 53			2,4	2,2	2,6	2,6
	225/45 R17 91W	7,5J x 17 ET 56			2,4	2,2	2,6	2,6
	225/40 R18 92Y	7,5J x 18 ET 54			2,4	2,1	2,6	2,6
	205/55 R16 91H M+S	6J x 16 ET 50			2,4	2,2	2,6	2,6
	205/55 R16 91H M+S	6,5J x 16 ET 50			2,4	2,2	2,6	2,6
	205/50 R17 89H M+S	6J x 17 ET 48			2,5	2,3	2,7	2,7

2,0 TDI 120/125 kW								
					bar			
								
								
	205/55 R16 91V	6,5J x 16 ET 50			2,6	2,4	2,9	2,9
	205/55 R16 91V	7J x 16 ET 53			2,6	2,4	2,9	2,9
	225/45 R17 91W	7,5J x 17 ET 56			2,6	2,4	2,9	2,9
	225/40 R18 92Y	7,5J x 18 ET 54			2,6	2,4	2,8	2,8
	205/55 R16 91H M+S	6J x 16 ET 50			2,3	2,2	2,5	2,6
	205/55 R16 91H M+S	6,5J x 16 ET 50			2,3	2,2	2,5	2,6
	205/50 R17 89H M+S	6J x 17 ET 48			2,6	2,4	2,9	2,9



								
	225/45 R17 94Y	7,5J x 17 ET 56			2,5	2,3	2,7	2,7
	225/40 R18 92Y	7,5J x 18 ET 54			2,8	2,5	3,0	3,0
	205/50 R17 89H M+S	6J x 17 ET 48			2,6	2,4	2,8	2,8

## MJ 2006 &gt;



5 x 120 Nm



Ø 112 mm



Ø 57 mm



Stahl (Steel)

8P0 601 027 7DH

6J x 16 H2 ET 50

max. 600 kg 

Stahl (Steel)

1K0 601 027 A CM1

6,5J x 16 H2 ET 50

max. 600 kg 

8P0 601 025 F 7DY

6J x 17 H2 ET 48

max. 600 kg 

8P0 601 025 7EA

6,5J x 16 H2 ET 50

max. 600 kg 

8P0 601 025 AA 2WK

6,5J x 16 H2 ET 50

max. 600 kg 

8P0 601 025 C 2WJ

7,5J x 17 H2 ET 56

max. 600 kg 

Stahl (Steel)

1K0 601 027 A CM1

6,5J x 16 H2 ET 50

max. 600 kg 

8P0 601 025 AA CU9

6,5J x 16 H2 ET 50

max. 600 kg 

8P0 601 025 CR1

6,5J x 16 H2 ET 50

max. 600 kg 

8P0 601 025 A CR2

6,5J x 16 H2 ET 50

max. 600 kg 

8P0 601 025 C CR4

7,5J x 17 H2 ET 56

max. 600 kg 

8P0 601 025 M CR3

7J x 16 H2 ET 53/ 600

max. 600 kg 

8P0 601 025 AD C4N

7,5J x 17 H2 ET 56

max. 600 kg 

8P0 601 025 E C5Q

7,5J x 17 H2 ET 56

max. 600 kg 

8P0 601 025 D CR5

7,5J x 17 H2 ET 56

max. 600 kg 

8P0 601 025 AB CH2

7,5J x 17 EH2 ET 56

max. 600 kg 

8P0 601 025 AF CF7

7,5J x 17 H2 ET 56

max. 600 kg 

8P0 601 025 AL CU7

7,5J x 18 H2 ET56

max. 600 kg **Quattro GmbH** 

8P0 601 025 Q CD7

7,5J x 17 H2 ET56

max. 600 kg 

8P0 601 025 R CD8

7,5J x 18 H2 ET54

max. 600 kg 

8P0 601 025 AE C2Q

7,5J x 18 H2 ET54

max. 600 kg 

8P0 601 025 AE C8N

7,5J x 18 H2 ET54

max. 600 kg 



8P0 601 025 S CU7

7,5J x 18 H2 ET54

max. 600 kg 



AOZ



8P0 071 436 F 8Z8

6J x 16 H2 ET 50

max. 600 kg 

